







No Water Shortage With Taromplast




Taromplast is a subsidiary of Keshavarz group with more than 25 years




of experience which is one of the biggest manufactureres of extrnsion

















Flat emitter drip irrigation tape PE pipe 16_32


















Lay Flat

Viable alternative to PE pipe

Low cost


Easy tranfer



Size	Inside	Thickness	Working	Weight	Coil
(inch)	diameter	(µm)	pressure	(kg)	length
	(mm)		(bar)		(m)
2	50	1000	1.5	13	100
2.5	63	1000	1.5	16	100
3	75	1000	1.5	19	100
3.5	90	1000	1.5	23	100
4.5	110	1000	1.5	34	100
5	125	1000	1.5	39	100







Single Blade Labyrinth

Increasing productivity

Water saving, Energy efficiency
Income creating

Distance between drippers (cm)	Flow rate (lit/h)	Inside diameter (mm)	Outside diameter (mm)	Thickness (µm)	Working pressure (bar)	Weight (kg)	Coil length (m)	Using duration
10	2-2.5-3	16.2	16.6	175	0.6-1	10.5	1000	1 crop season
15	2.5	16.2	16.6	175	0.6-1	10.5	1000	1 crop season
20	2.5-3-3.5	16.2	16.6	175	0.6-1	10.5	1000	1 crop season
30	2.5-3	16.2	16.6	175	0.6-1	10.5	1000	1 crop season
40	3	16.2	16.6	175	0.6-1	10.5	1000	1 crop season
60	3	16.2	16.6	175	0.6-1	10.5	1000	1 crop season





Drip irrigation tape (Flat emitter)

Result in less weeding

Conserve water

Improve plant growth

Reduce pest pressures



Distance between drippers (cm)	Flow rate (lit/h)	Inside diameter (mm)	Outside diameter (mm)	Thickness (μm)	Working pressure (bar)	Weight (kg)	Coil length (m)	Using duration
10	1.4-2.2	16.2	16.6	200	0.6-1	16	1500	1 crop season
20	1.4-2.2-2.5-3	16.2	16.6	200	0.6-1	16	1500	1 crop season
30	2.2-2.5-3	16.2	16.6	200	0.6-1	16	1500	1 crop season







PE pipe

Long lifetime

Flexibility

High durability and strength

Size	Inside diameter (mm)	Thickness (μm)	Working pressure (bar)	Weight (kg)	Coil length (m)
16	50	1.2	4	22(400m)	200,400
20	63	1.2	4	18(200m)	200,400
25	75	1.5	4	22(200m)	200,400
32	90	1.5	4	20(100m)	200,400





warranty

This product is guaranteed for on crop season.

Insatllation of filteration is required.

This warranty covers:

Defects in materials and final coil length

Any broken components under normal use

Any defects in workmanship

under normal work pressure(0.6-1 bar)

GET IN TOUCH!

Factory: 021 56236214 - 021 56236828 Office: 021 88001006 - 021 88001007 Mobile: 09126135750 - 09121278230

Factory: No.15,8th Golbon st, Boustan Blv, Shamsabad Industrial Town, Tehran,Iran

Office: No.64,8th Floor, Settin Tower, Farahzadi Blv,

Sanat Sq, Shahrak-e Qarb, Tehran, Iran



Keshavarz Engineering & Machinery Grou